



ASIALUBE ENGINE OIL 5W-30 SEMI

Description

5W-30 is a synthetic engine oil with a versatile viscosity, suitable for various vehicles. It provides efficient lubrication, ensuring smooth engine operation in different temperatures. This oil offers reliable protection, supports fuel efficiency, and meets industry standards for optimal engine performance and longevity.

Application

5W-30 is designed for diverse vehicles, delivering effective lubrication and engine protection. With a versatile viscosity, it ensures reliable performance in varying temperatures, promoting fuel efficiency and meeting industry standards. Follow Recommended usage guidelines, and responsibly dispose of used product to prioritize environmental well-being.

Advantages

- ENHANCE ENGINE LONGEVITY VIA PROTECTION
- KEEPS ENGINE CLEAN BY PREVENTING BUILDUP
- LESS HYDROCARBON POLLUTION



Typical Characteristics

Name	Method	Units	ASIALUBE 5W-30 SEMI
Density @ 15°C	ASTM D4052	g/ml	0.852
Viscosity, Kinematic 100°C	ASTM D445	mm ² /s	12.0
Viscosity, CCS -30°C (5W)	ASTM D5293	mPa.s (cP)	5563
Viscosity, Kinematic 40°C	ASTM D445	mm ² /s	72
Viscosity Index	ASTM D2270	None	165
Ash, Sulphated	ASTM D874	% wt	1.0
Total Base Number, TBN	ASTM D2896	mg KOH/g	10.4
Pour Point	ASTM D97	°C	-42
Flash Point, PMCC	ASTM D93	°C	205

The above figures are typical of those obtained with normal production tolerance and do not constitute a specification.

Product Performance Claims

- API SP/SN/SN PLUS/ SM/SL/SJ/ILSAC GF-6A
- ACEA A3/B4-12, ACEA C3-10
- MIL_L_4615D & CID A-A-52039B, FORD WSS-M2C947-A, CHRYSLER MS6395-H, MB 229.1, VW 505.00
FIAT 9.55535.D2
- MITSUBISHI, NISSAN, MAZDA, SUZUKI, TOYOTA, HONDA /ACURAHTO-6

When used as directed and in accordance with the provided Material Safety Data Sheet (MSDS), this product is not anticipated to have negative health impacts. MSDS documents can be obtained through your sales contract office or online. Refrain from using the product for unintended purposes, and when disposing of used product, ensure environmentally responsible practices are followed.